



United States Department of Agriculture  
Animal and Plant Health Inspection Service

DBRIGANCE  
12871 cust\_id  
217182 insp\_id  
14075 site\_id

CHRISTOPHER & ELAINE WILSON

Customer ID: 12871

Certificate: 43-A-3313

Site: 001

CHRISTOPHER & ELAINE WILSON

Inspection

Type: ROUTINE INSPECTION

Date: MAY-28-2003

RR 2 BOX 226  
EVERTON, MO 65646

3.1 (c)(1)(i)

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

Facilities and Operating Standards

(c) Surfaces

(i) Be free of excessive rust that prevents the required cleaning and sanitization, or that affects the structural strength of the surface

The metal supports on the kennel buildings have rusted surfaces and the outdoor pens have rust on the metal support posts. These areas must be properly sealed or painted in such a manner as to allow for proper cleaning and sanitation of the facility

This affects all animals in the facility

To be corrected by 25 June, 2003

3.3 (e)(1)

SHELTERED HOUSING FACILITIES.

Sec. 3.3 Sheltered housing facilities.

(e) Surfaces.

(1) The following areas in sheltered housing facilities must be impervious to moisture:

The wooden areas of the large barn show areas where the dogs have chewed and clawed the wood. These areas must be repaired or replaced and sealed as needed for proper cleaning and sanitation.

This affects approximately 15 animals

To be corrected by 10 June, 2003

3.11 (a)

REPEAT NCI

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

Sec. 3.11 Cleaning, sanitization, housekeeping, and pest control.

(a) Cleaning of primary enclosures. Excreta and food waste must be removed from primary enclosures daily, and from under primary enclosures as often as necessary to prevent an excessive accumulation of feces and food waste

Prepared By:

*David Briganice*  
DAVID BRIGANICE, AG, USDA, APHIS, Animal Care

Title: (b)(6), (b)(7)c

Received By:

Title:

Date:

MAY-28-2003

Date:

MAY-28-2003

JUN - 4 2003



United States Department of Agriculture  
Animal and Plant Health Inspection Service

DBRIGANCE

12871 cust\_id

217182 insp\_id

14075 site\_id

-The areas around the exterior of the smaller kennel building has a build up of waste under the pens. These areas must be cleaned more often and on a regular basis in order to prevent any build up of waste, odors or insect problems.

This affects approximately 80 animals

To be corrected by 5 June 2003

Sec. 3.11 Cleaning, sanitization, housekeeping, and pest control.

(a) Cleaning of primary enclosures

Standing water must be removed from the primary enclosure and animals in other primary enclosures must be protected from being contaminated with water and other wastes during the cleaning.

There is a buildup of waste water under the outdoor pens that must be removed. There is also an accumulation of waste under these same areas. This accumulation must be removed and preparations made to prevent this accumulation in the future.

To be corrected by 10 June, 2003

This affects approximately 85

The whelping building interior areas have a build up of dirt and debris. This building interior must be thoroughly cleaned and sanitized on a regular basis.

This affects those animals in the whelping building

To be corrected by 5 June, 2003

Inspection conducted by (b)(6), (b)(7)c and David Brigance, ACI

Time of inspection 1300 hours

Prepared By:

DAVID BRIGANCE, ACI, USDA, APHIS, Animal Care

Title:

(b)(6), (b)(7)c

Received By:

Title:

Date:

MAY-28-2003

Date:

MAY-28-2003